## **LONGSPAN**





LONGSPAN
the heavyweight storage solution that simply clips together.

## **Accessories and Specification**



FRAME UPRIGHTS




FRAME UPRIGHTS

**GRAPHITE GREY** 

BEAMS & ACCESSORIES

LIGHT GREY





## standard component colours

Longspan racking components are phosphate pre-treated, then powder coated, durable highquality paint finish. 'House' colours available on request.

All Longspan components are made from high quality steel.

Every stage in the manufacturing process is subject to stringent quality procedures, developed through years of experience.

Swatches shown give an approximate colour guide



# LONGSPAN in action...

## LONGSPAN in action...

You'll find Longspan at work almost everywhere. In business,

industry and the public sector, there's no end to the applications for one of the world's most adaptable shelving systems.

From simple stand-alone shelf units to automated order-picking installations, Longspan gives the same reliability, quality and performance. Automotive components, library books, stationery, museum artefacts, even geological samples - these and hundreds of other items are safely stored away in shelving schemes constructed from Longspan.

Use Longspan as a space saver, maximising height in narrow-aisle storage installations; use it in conjunction with mobile shelving schemes for high density storage where space is at a premium; use it in shops and offices, schools and hospitals; use it anywhere and everywhere there's a need for efficient, hard-wearing storage.









## **LONGSPAN**

the heavyweight storage solution that simply clips together.







## **Heavy Duty**

The ultimate versatile heavy duty storage system, Longspan shelving is limited only by your imagination. Whether you're planning a simple low-rise shelving set-up or a large scale heavy duty storage facility, Longspan fits the bill.

If you thought you needed an engineering degree to build shelving, think again. Longspan is ingenious in its simplicity. A small shelf unit can be assembled in minutes, and even the most ambitious schemes are easily realised with Longspan's brilliantly designed clip-together components.

Beams fasten simply and securely onto uprights and are easily adjusted. Easy-to-fit locking clips prevent accidental dislodgement. Once the frames and beams are up, shelving materials simply drop into place and the system's ready to go! Nothing could be simpler.

It's hard to believe that shelving as secure and hard wearing as Longspan can be assembled in such a short time. But once built, Longspan stays built - even in the toughest industrial environments.

For a shelving system that combines quality and ease of assembly, there's only one choice – Longspan. And like every product in our range, it comes with the added reassurance of international quality standards.



### Choice of beams for all applications



C Section Medium Duty Beam (2LSC) For use with chipboard or

For use with chipboard or steel shelf panels. Lengths range from 1050mm to 1800




Box Heavy Duty Beam (2LBC)

For use with chipboard or steel shelf panels. Lengths range from 1050mm to 2400



Box Extra Heavy Duty Beam (3LBC)

For use with chipboard or steel shelf panels. Lengths range from 1050mm to 3000mm



Standard Duty Stepped Beam (2LST)

For use with 18mm thick chipboard. Lengths range from 1050mm to 3000mm

- 1 Galvanised or painted Steel Shelf Panels span across beams to form a solid steel shelf.
- 2 Chipboard Shelving
- 3 Box beam.
- 4 Beam Tie.
- 5 Stepped Beam.
- 6 Shelf Cladding Support Box Beam.
- 7 Lateral Dividers can be used with specially pierced shelf panels.
- 8 Foot Plate clip-on or bolt-on, provides positive floor fixing for added stability.
- 9 Mesh Panels frames can be supplied as open, mesh clad or steel clad.
- **10** Frame available in heights from 1200mm to 3900mm and depths of 450mm to 1200mm.
- 11 Frame Joining Unit.



Head Office

16 Beirut St., Heliopolis, Cairo, Egypt. Tel.: (+202) 2453 40 46 / 66 / 68 / 69 (+202) 2453 40 71 Fax: (+202) 245 340 74 e-mail: sales@linkmisr.com

Alex. Branch:

18 A Syria St., El Hekma Tower. Tel.: (03) 541 19 51 – 522 19 02

Fax: (03) 522 19 02

Factory:

10<sup>th</sup> of Ramadan City, Zone B4, Area 30. Tel. & Fax: (015) 382 641 / 2 / 3 / 4 - 379 340

Website: www.linkmisr.com











Represented by:



















